

# Material security data sheet

Printed : 26/10/2021

Revised : COMPO\_CLIENT-1-CLP from  
26/10/2021

## ABRICOT BASILIC

### 1. IDENTIFICATION OF SUBSTANCE/MIXTURE AND OF THE COMPANY

#### 1.1. Product identifier

ABRICOT BASILIC

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Fragrance compound only for industrial and/or professional use.

#### 1.3. Details of the supplier of the safety data sheet

Company : Sarl BS GROUP  
LE TITIEN  
4 QUAI JEAN CHARLES REY  
98000 MONACO ( MONACO )  
Email :info@scentandmore.com

#### 1.4. Emergency telephone number

24h-Number ORFILA (INRS) : +33 (0)1.45.42.59.59

### 2. HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

##### GHS Classification :

(RegulationCLP)

CAR2 Carcinogenicity 2  
ED12 Serious eye damage / eye irritation 2  
EHC2 Hazardous to the aquatic environment, long-term hazard 2  
MUT2 Germ cell mutagenicity 2  
SCI2 Skin corrosion / irritation 2  
SS1 Sensitisation skin 1

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H341 - Suspected of causing genetic defects <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H351 - Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H411 - Toxic to aquatic life with long lasting effects.

EUH208 - Contains . May produce an allergic reaction. : 4-tert-Butylcyclohexyl acetate, Carvone, beta-Caryophyllene, Estragole, Eucalyptol, Allyl cyclohexyl propionate, Hexyl cinnamal, Citronellol, Limonene, Eugenol, Geraniol, Hexyl salicylate, alpha-iso-Methylnone, Linalool, trans-Anethole [(E)-Anethole], (Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one ¶

#### 2.2. Label elements

##### GHS Classification :

# Material security data sheet

Printed : 26/10/2021

ABRICOT BASILIC

Revised : COMPO\_CLIENT-1-CLP from  
26/10/2021

(RegulationCLP)

Warning mention : Warning

CAR2 Carcinogenicity 2  
ED12 Serious eye damage / eye irritation 2  
EHC2 Hazardous to the aquatic environment, long-term hazard 2  
MUT2 Germ cell mutagenicity 2  
SCI2 Skin corrosion / irritation 2  
SS1 Sensitisation skin 1

H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.  
H341 - Suspected of causing genetic defects <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.  
H351 - Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.  
H411 - Toxic to aquatic life with long lasting effects.

P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 - Wash ... thoroughly after handling.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P273 - Avoid release to the environment.

EUH208 - Contains . May produce an allergic reaction. : 4-tert-Butylcyclohexyl acetate, Carvone, beta-Caryophyllene, Estragole, Eucalyptol, Allyl cyclohexyl propionate, Hexyl cinnamal, Citronellol, Limonene, Eugenol, Geraniol, Hexyl salicylate, alpha-iso-Methylionone, Linalool, trans-Anethole [(E)-Anethole], (Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one ||



## 2.3. Other hazards

The mixture does not contain substances included in the candidate list substances subject to authorization.

- Article 59, paragraph 1 of Regulation (EC) 1907/2006.

The mixture does not contain PBT or vPvB substances as defined in annex XIII of Regulation 253/2011/EC amending Regulation 1097/2006/EC.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

### 3.1. Substances

Does not apply to the product which is a mixture.

### 3.2. Mixtures

Material	C.A.S	EINECS	Risk Symbol	Percent %
Linalool	78-70-6	201-134-4	SCI2, SS1B	[ 5-10 ]
Estragole	140-67-0	205-427-8	ATO4, CAR2, EHC3, MUT2, SCI2, SS1B - H302, H315, H317, H341, H351, H412	[ 5-10 ]

## Material security data sheet

Printed : 26/10/2021

ABRICOT BASILIC

Revised : COMPO\_CLIENT-1-CLP from  
26/10/2021

3a,4,5,6,7,7a-Hexahydro-4,7-methano-1H-indenyl propionate (mixture of isomers)	68912-13-0	272-805-7	EHC2 - H411	[ 1-5 ]
Cis-2-tert-butylcyclohexyl acetate	88-41-5	201-828-7	EHC2 - H411	[ 1-5 ]
gamma-Undecalactone	104-67-6	203-225-4	EHC3 - H412	[ 1-5 ]
Hexyl cinnamal	101-86-0	202-983-3	EHA1, EHC2, SS1B	[ 1-5 ]
Eugenol	97-53-0	202-589-1	SS1B	[ 1-5 ]
Limonene	5989-27-5	227-813-5	AH1, EHA1, EHC3, FL3, SCI2, SS1B - H226, H304, H315, H317, H400, H412	[ 1-5 ]
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethyl-cyclopenta-2-benzopyran	1222-05-5	214-946-9	EHA1, EHC1	[ 1-5 ]
4-tert-Butylcyclohexyl acetate	32210-23-4	250-954-9	SS1B - H317	[ 1-5 ]
Hexyl salicylate	6259-76-3	228-408-6	EHA1, EHC1, SS1B	[ 1-5 ]
Benzyl acetate	140-11-4	205-399-7	EHC3	[ 1-5 ]
beta-Caryophyllene	87-44-5	201-746-1	AH1, EHC4, SS1B - H304, H317, H413	[ 0-1 ]
alpha-iso-Methylation	127-51-5	204-846-3	EHC2, SS1B	[ 0-1 ]
Allyl heptylate (Allyl heptanoate)	142-19-8	205-527-1	ATD3, ATO3, EHA1, EHC3	[ 0-1 ]
Methyl eugenol	93-15-2	202-223-0	ATO4, CAR2, MUT2	[ 0-1 ]
Allyl hexanoate (Allyl caproate)	123-68-2	204-642-4	ATD3, ATI3, ATO3, EHA1, EHC3	[ 0-1 ]
Eucalyptol	470-82-6	207-431-5	FL3, SS1B - H226, H317	[ 0-1 ]
Citronellol	106-22-9	203-375-0	SCI2, SS1B	[ 0-1 ]
trans-Anethole [(E)-Anethole]	4180-23-8	224-052-0	SS1B	[ 0-1 ]
Geraniol	106-24-1	203-377-1	EDI1, SCI2, SS1	[ 0-1 ]
Carvone	99-49-0	202-759-5	SS1B - H317	[ 0-1 ]
Butylated hydroxytoluene	128-37-0	204-881-4	EHA1, EHC1 - H400, H410	[ 0-1 ]
(Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one	81786-73-4		EHC2, SS1B - H317, H411	[ 0-1 ]
Diphenylether	101-84-8	202-981-2	EHA1, EHC3	[ 0-1 ]
Allyl cyclohexyl propionate	2705-87-5	220-292-5	ATD4, ATI4, ATO4, EHA1, EHC1, SS1	[ 0-1 ]

### 4. FIRST AID MEASURES

#### 4.1. Description of first aid measures

**General information:** As in all cases of potential poisoning, obtain medical advice immediately.

**Contact with skin:** Remove contaminated clothes, and use them only after decontamination. Wash with large volume of water and soap. Rinse with clear water. If irritation persists, obtain medical advice.

**Contact with eyes:** Irrigate with water for at least 15 minutes. Obtain medical advice if irritation persists.

**In case of ingestion:** Rinse mouth with water. Do not induce vomiting. Obtain medical advice immediately.

**In case of inhalation:** Immediately move from the area to a fresh air and keep at rest. Obtain medical advice immediately.

# Material security data sheet

Printed : 26/10/2021

ABRICOT BASILIC

Revised : COMPO\_CLIENT-1-CLP from  
26/10/2021

## **4.2. Most important symptoms and effects, both acute and delayed**

No information available on the product itself.

## **4.3. Indication of any immediate medical attention and special treatment needed**

No specific data.

## 5. FIRE FIGHTING MEASURES

### **5.1. Extinguishing media**

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

### **5.2. Special hazards of the mixture**

**Flammability :** The product is not flammable.

**Prévention :** Do not smoke. Do not use flame near.

### **5.3. Advice for firefighters**

Never use a direct water jet.

## 6. ACCIDENTAL RELEASE MEASURES

### **6.1. Personal precautions, protective equipment and emergency procedures**

Use individual protective equipment (waterproof boots, suitable protective clothing, and safety glasses). Prevent any contact with hot surfaces. Do not approach facing the wind. Ensure adequate ventilation. Do not breathe vapour/spray.

### **6.2. Environmental precautions**

Do not allow to enter sewers/surface or ground water.

### **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

## 7. HANDLING AND STORAGE

### **7.1. Precautions for safe handling**

# Material security data sheet

Printed : 26/10/2021

ABRICOT BASILIC

Revised : COMPO\_CLIENT-1-CLP from  
26/10/2021

Advice on safe handling: Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion: Keep away from ignition sources and naked flame. Close packing after use. Reproduce labelling if transfer in another container.

## 7.2. Conditions for safe storage, including any incompatibilities

-Avoid any useless exposure. Keep away from food and drinks.

-Preserve only in the container of origin in a fresh place and broken down well. Keep the containers closed out of their use.

-Do not leave it near heat source, direct rays of the sun

## 7.3. Specific end use(s)

No specific data.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## 8.1. Control parameters

NO CONCERNED

## 8.2. Exposure controls

**General protective and hygienic measures** : Avoid skin and eyes contact. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

**Eye and face protection** : Use tight-fitting goggles, face shield or safety glasses with side shields in case of eye contact.

**Skin protection** : Wear appropriate dust resistant clothing. Avoid skin contact. Use chemically resistant gloves.

**Respiratory protection** : In case of insufficient ventilation, use suitable respiratory equipment.

**Environmental exposure controls** : Prevent from entering sewers, basements and workpans, or any place where its accumulation can be dangerous.

**Consumer exposure controls** : Avoid breathing directly on the product. Apply local ventilations when appropriate. Wash hands with soap and water after handling.

# Material security data sheet

Printed : 26/10/2021

ABRICOT BASILIC

Revised : COMPO\_CLIENT-1-CLP from  
26/10/2021

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

NO CONCERNED

### 9.2. Other information

NO CONCERNED

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

No dangerous reactions known.

### 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

No hazardous reactions known.

### 10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.  
Avoid contact with oxidizing agents.

### 10.5. Incompatible materials

Unknown

### 10.6. Hazardous decomposition products

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.  
**Dangerous decomposition products:** Carbon monoxide and unidentified organic compounds may be formed during combustion.

## 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

**Toxicological Information :** No experimental data available.

#### Informations on Acute Toxicity (DL50):

- Oral

Not classified

- Inhalation

Not determined

# Material security data sheet

Printed : 26/10/2021

ABRICOT BASILIC

Revised : COMPO\_CLIENT-1-CLP from  
26/10/2021

- **Skin**

Not determined

## 11.1.1. Substances

Linalool

ETAO : 2 790,00 mg/kg(Calculated) ETAC : Not determined ETAI : Not determined

Estragole

ETAO : 1 230,01 mg/kg(Calculated) ETAC : Not determined ETAI : Not determined

Cis-2-tert-butylcyclohexyl acetate

ETAO : 4 600,24 mg/kg(Calculated) ETAC : Not determined ETAI : Not determined

Hexyl cinnamal

ETAO : 3 100,00 mg/kg(Calculated) ETAC : Not determined ETAI : Not determined

Eugenol

ETAO : 2 500,00 mg/kg(Estimated) ETAC : Not determined ETAI : Not determined

4-tert-Butylcyclohexyl acetate

ETAO : 3 370,07 mg/kg(Calculated) ETAC : Not determined ETAI : Not determined

Benzyl acetate

ETAO : 2 490,00 mg/kg(Calculated) ETAC : Not determined ETAI : Not determined

Allyl heptylate (Allyl heptanoate)

ETAO : 218,00 mg/kg(Calculated) ETAC : 810,00 mg/kg(Calculated) ETAI : 0,00 mg/l(Estimated)

Methyl eugenol

ETAO : 1 180,00 mg/kg(Calculated) ETAC : Not determined ETAI : Not determined

Allyl hexanoate (Allyl caproate)

ETAO : 300,00 mg/kg(Calculated) ETAC : 300,00 mg/kg(Calculated) ETAI : 3,00 mg/l(Estimated)

Eucalyptol

ETAO : 2 479,97 mg/kg(Calculated) ETAC : Not determined ETAI : Not determined

Citronellol

ETAO : 3 450,00 mg/kg(Calculated) ETAC : 2 650,00 mg/kg(Calculated) ETAI : Not determined

trans-Anethole [(E)-Anethole]

ETAO : 3 000,00 mg/kg(Calculated) ETAC : Not determined ETAI : Not determined

Geraniol

ETAO : 3 600,00 mg/kg(Calculated) ETAC : Not determined ETAI : Not determined

7/11

## Material security data sheet

Printed : 26/10/2021

ABRICOT BASILIC

Revised : COMPO\_CLIENT-1-CLP from  
26/10/2021

Carvone

ETAO : 2 500,00 mg/kg(Estimated) ETAC : 3 800,11 mg/kg(Calculated) ETAI : Not determined

Diphenylether

ETAO : 2 830,00 mg/kg(Calculated) ETAC : Not determined ETAI : Not determined

Allyl cyclohexyl propionate

ETAO : 480,00 mg/kg(Calculated) ETAC : 1 600,00 mg/kg(Calculated) ETAI : 11,00 mg/l(Estimated)

### 12. ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

#### 11.1.1 Substances

Aucun composant

#### 12.2. Persistence and degradability

Not available.

#### 12.3. Bioaccumulative potential

Not available.

#### 12.4. Mobility in soil

Not available.

#### 12.5. Results of PBT and vPvB assessment

Not available.

#### 12.6. Other adverse effects

Not available.

### 13. DISPOSAL RECOMMENDATIONS

#### 13.1 Waste treatment methods

Dispose in accordance with the local environmental regulations.

### 14. TRANSPORT REGULATIONS

:



## Material security data sheet

Printed : 26/10/2021

ABRICOT BASILIC

Revised : COMPO\_CLIENT-1-CLP from  
26/10/2021



:



IATA:



### 14.1. UN number

: UN3082 (-)

: UN3082

IATA : UN3082

### 14.2. Transport hazard class(es) and Packing group

: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Perfumery Product)

: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Perfumery Product)

IATA : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Perfumery Product)

### 14.3. Transport Hazard Class(es)

: 9

: 9

IATA : 9

### 14.4. Packing group

: III

: III

IATA : III

## 15. REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) and its successive amendments

Regulation (EC) No 453/2010

Regulation (EC) No 1272/2008 (CLP) and its successive amendments

Directive 2000/39/EC (occupational exposure limits)

Directive 98/24/EC (Safety of workers)

Refer to the following regulations when applicable:

Regulation (EC) No 648/2004 (Detergents)

Directive 1999/13/EC (COV) and its successive amendments.

# Material security data sheet

Printed : 26/10/2021

ABRICOT BASILIC

Revised : COMPO\_CLIENT-1-CLP from  
26/10/2021

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out on the mixture itself.

## 16. OTHER INFORMATION

### Full H sentences text in point 3 :

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H341	Suspected of causing genetic defects <state route of exposure if it is conclusively proven that no

### other routes of exposure cause the hazard>.

H351	Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routs
------	--

### of exposure cause the hazard>.

H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Material security data sheet according to 2001/58/CEE.

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.

## 16.1. Abbreviations and acronyms

ECHA: European Chemicals Agency

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals, Regulation (EC) No 1907/2006

CLP: Classification, Labelling, Packaging, Regulation (EC) No 1272/2008

CAS: Chemical Abstract Service number

IUPAC: International Union of Pure and Applied Chemistry

CMR: Carcinogenic, Mutagenic or toxic to Reproduction

SVHC: Substance of Very High Concern

PBT: Persistent, Bioaccumulative and Toxic substances

vPvB: Very Persistent and Very Bioaccumulative substances

LD50: Lethal dose 50% (dose required to kill half the members of a tested population)

LC50: Lethal Concentration 50%

OELV (VLEP): Occupational exposure limit value

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Dangerous Goods Code

IATA: International Air Transport Association

ICAO-TI: International Civil Aviation Organization - Technical Instructions for the Safe Transport of Danger

## Material security data sheet

Printed : 26/10/2021

ABRICOT BASILIC

Revised : COMPO\_CLIENT-1-CLP from  
26/10/2021

Goods by Air

### **16.2. Key literature references and sources for data**

Suppliers data

CLP

ECHA

Guidance on the Compilation of safety data sheets of ECHA

REACH

This material safety data sheet was realised in accordance with Annex II of the Regulation REACH.

### **16.3. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]**

Classes of hazards to human health and the environment were determined by calculation method.

Classes of physical hazards were determined from physico-chemical parameter measurement.